



1130



FOAM CONTROL AGENT

A silicone-based defoamer emulsion designed to weaken the structural integrity of bubbles, making it impossible for foaming problems to occur. As little as one ounce per 5 gallons of recovery tank capacity can prevent costly equipment damage and decrease the time spent emptying recovery tanks. Safe and effective in hard or soft water, acid solutions, alkaline, or other areas where foam is a problem. Safe on hard surfaces to create a silicone shield, increasing lubricity which allows objects to slide more easily.

FORMULA FEATURES

- ▶ Concentrated for Economy
- ▶ Versatile
- ▶ Safe on all Equipment and on Hard Surfaces
(Avoid overyspray on flooring, may cause hazardous slip conditions.)
- ▶ Silicone Based
- ▶ Prevents Costly Equipment Damage

APPLICATIONS *CONCENTRATED

(Dilute 1 oz. per 5 gallons of water/recovery)

- ▶ Designed to use in recovery tanks of extractors, wet vacs, auto scrubbers, and other equipment.
- ▶ Provides excellent foam control in a wide variety of areas and is effective for use on hard surfaces.

AREAS OF UTILIZATION

- ▶ Schools
- ▶ Office Buildings
- ▶ Airports
- ▶ Hospitals
- ▶ Universities
- ▶ Hotels
- ▶ Nursing Homes
- ▶ Institutions

OTHER FINE CARPET & UPHOLSTERY FORMULAS


- ▶ HUSKY 1100 Traffic Lane & Bonnet Cleaner/Solvent Spotter
- ▶ HUSKY 1110 Extraction Carpet Concentrate
- ▶ HUSKY 1120 Dry Foam Carpet Shampoo
- ▶ HUSKY 1140 Bio-Clenz Spot Cleaner
- ▶ HUSKY 1150 Tannin Spotter
- ▶ HUSKY 1160 Carpet Sanitizer Extraction Concentrate
- ▶ HUSKY 1170 Carpet and Upholstery Protectant

OTHER LIQUID/AEROSOL FORMULA CATEGORIES

- ▶ Restroom Care
- ▶ Skin Care
- ▶ Odor Control
- ▶ Floor Care
- ▶ Health Care
- ▶ Industrial Care
- ▶ Specialty Products

1130 FOAM CONTROL AGENT

DIRECTIONS



1. Add one ounce per every five gallons of water in the recovery tank of extraction machines, wet vacuums and automatic scrubbers. For additional foam control apply directly to inside walls of recovery hose.



2. To apply to hard, non-porous surface for increased gloss and lubricity, lightly spray surface and wipe dry. Deposits a silicone shield to allow objects to slide more easily on formica, vinyls, conveyer belts, and ramps.

Avoid overspray on flooring, may cause hazardous slip conditions.

PRODUCT DATA

USDA Authorized
C2 Rating
Concentrated
Phosphate Free
DOT Regulated

| YES | NO |
|-----|----|
| X | |
| X | |
| X | |
| | X |



SECTION I - PRODUCT IDENTIFICATION

See reverse side for product identification.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

| Hazardous components | CAS#s | OSHA PEL | ACGIH TLV | Other Limits | % (Optional) |
|----------------------|------------|----------|-----------|--------------|--------------|
| Polydimethylsiloxane | 63148-62-9 | N/A | N/A | N/A | 1-5 |

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

| | | | |
|--------------------------|-----------------------------|---------------------------------------|-------|
| Boiling Point | 212° F | Specific Gravity (H ₂ O=1) | 1.000 |
| Vapor Pressure (mm Hg.) | N/E | Percent Volatile By Weight (%) | >95% |
| pH (conc.) | 8.5 | Evaporation Rate (H ₂ O=1) | N/E |
| Solubility in Water | Complete | | |
| Appearance and Fragrance | White Liquid-Mild Fragrance | | |

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): None **Flammable Limits:** LEL: N/A UEL: N/A
Extinguishing Media: Water, CO₂, Foam or media suitable for surrounding fire
Special Fire Fighting Procedures: Standard fire fighting procedures may be followed, including full protective gear, including NIOSH approved self-contained breathing apparatus.
Unusual Fire and Explosion Hazards: None Known

SECTION V - PHYSICAL HAZARDS

Stability Unstable **Conditions to Avoid:** Heat, sparks or open flame.
 Stable
Incompatibility (Materials to Avoid): Do not mix with other chemicals.
Hazardous Decomposition Products or By-products: Thermal decomposition on burning may produce toxic vapors or gases
Hazardous May Occur **Conditions to Avoid:** None Known
Polymerization Will Not Occur

N/A (Not applicable / Not available)
N/E (Not Established)

SECTION VI - HEALTH HAZARDS

Route(s) of Entry: Inhalation? Skin? X Ingestion? X
Health Hazards (1. Acute and 2. Chronic) 1. **Acute:** Harmful if swallowed. Eye irritant.
2. **Chronic:** None Known

Chemical Listed as Carcinogen or Potential Carcinogen:

National Toxicology Program: No
I.A.R.C. Monographs: No
OSHA: No

Signs and Symptoms of Exposure: Irritation or burning sensation.
Medical Conditions Generally Aggravated by Exposure: May aggravate skin disorders or respiratory ailments.
Emergency and First Aid Procedures: **Eyes Contact:** Flush immediately with water for 15 minutes. Get medical attention. **Skin Contact:** Flush with water for 15 minutes. Remove and wash contaminated clothing. **Ingestion:** Rinse mouth with water. Then drink 1-2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken In Case Material Is Released Or Spilled: Wear appropriate protective equipment. If possible, contain spill and collect in an approved container. Rinse affected area thoroughly with water. Keep product out of storm sewers or waterways. Hold for disposal.
Waste Disposal Method: Dispose of in accordance with local, state and federal regulations. If possible, triple rinse empty container and recycle.
Precautions To Be Taken In Handling And Storing: Avoid contact with skin or eyes. Avoid breathing vapor, spray or mist. Store in original container, in cool dry place with adequate ventilation. Keep out or reach of children. Keep container tightly closed when not in use.
Other Precautions: Use only according to label directions. If unsure about safe use, contact your supervisor immediately.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type): Not expected to be necessary under normal conditions of use. Where exposure cannot be adequately controlled by general or local ventilation, use appropriate respiratory protection to prevent over exposure. An approved dust/mist respirator would be recommended. **Ventilation: Local Exhaust:** As necessary
Mechanical (General): Adequate **Special:** N/A **Other:** N/A **Protective Gloves:** Water Impervious (Latex, Neoprene) **Eye Protection:** Chemical Resistant Goggles or Face Shield
Other Protective Clothing Or Equipment: Not required **Work/Hygiene Practices:** Good housekeeping practices apply. Wash thoroughly after handling.