

water based

1210



STAINLESS STEEL CLEANER POLISH

Specially formulated to clean, polish and protect stainless steel and a wide variety of other surfaces in one step. Will not leave behind an oily residue but will resist fingerprints, grease and water spatter with a protective coating. The fine mist spray has a light foam application for the proper amount of product for the cleaning job. Spray out the foam and wipe off with a clean cloth. This water based product may be used for non-food contact surfaces in official establishments operating under the Federal meat and poultry products inspection program. Avoid overspray on flooring as surfaces may become slippery.

FORMULA FEATURES

- ▶ Water Based
- ▶ No Oily or Greasy Film
- ▶ Cleans and Protects Surfaces
- ▶ USDA A7 Equivalent
- ▶ No Build-Up
- ▶ Easy to Use

APPLICATIONS *READY TO USE

- ▶ Cleans, polishes and protects stainless steel and most other metal surfaces without hard rubbing.

AREAS OF UTILIZATION

- ▶ Hotels/Motels
- ▶ Office Buildings
- ▶ Food Preparation Areas
- ▶ Hospitals
- ▶ Washrooms
- ▶ Restaurants
- ▶ Institutions

OTHER FINE AEROSOL FORMULAS

- ▶ HUSKY 1200 Furniture Polish (Lemon Oil Fortified)
- ▶ HUSKY 1201 Sweet Tropic Mist Air Freshener & Neutralizer
- ▶ HUSKY 1202 Fresh Linen Scent Air Freshener & Neutralizer
- ▶ HUSKY 1205 Dust Mop Treatment (Oil Based)
- ▶ HUSKY 1207 Gelled Baseboard Stripper
- ▶ HUSKY 1211 Stainless Steel Cleaner Polish (Oil Based)
- ▶ HUSKY 1220 Glass, Plastic, & CRT Cleaner
- ▶ HUSKY 1225 All Purpose Spray and Wipe
- ▶ HUSKY 1229 Vandalism Mark & Stain Remover
- ▶ HUSKY 1230 Disinfectant Deodorant
- ▶ HUSKY 1240 Foaming Disinfectant Cleaner
- ▶ HUSKY 1250 Chewing Gum Remover
- ▶ HUSKY 1255 Foaming Oven & Grill Cleaner (Heavy Duty Formula)
- ▶ HUSKY 1260 Flying Insecticide (Pleasantly Scented)
- ▶ HUSKY 1270 Residual Insecticide (For Crawling Insects)
- ▶ HUSKY 1280 Wasp & Hornet Insecticide


OTHER LIQUID/AEROSOL FORMULA CATEGORIES

- ▶ Restroom Care
- ▶ Odor Control
- ▶ Health Care
- ▶ Carpet Care
- ▶ Skin Care
- ▶ Floor Care
- ▶ Industrial Care

CANBERRA CORPORATION ▶ 3610 Holland-Sylvania Rd. ▶ Toledo, Ohio 43615
(419) 841-6616 ▶ fax: (419) 841-7597 ▶ Visit Our Website: www.canberracorp.com/

1210 STAINLESS STEEL CLEANER POLISH

DIRECTIONS




1. Hold can upright. Press button and spray a small area until wet. Use sparingly. Clean with one cloth and polish with a clean, dry cloth. The gloss is renewed and will be retained. The cleaning process is simple. No rubbing is required. Not to be used on cooking utensils, such as pots, pans, knives, forks or spoons.



Avoid overspray on flooring as surface may become slippery!

PRODUCT DATA

Can Size:	20 oz. Aerosol
Net Weight:	16 oz.
USDA	A7 Equivalent
Color:	Milky White Emulsion
Odor:	Petroleum
pH:	7.5
Propellant:	Hydrocarbon
Spray Pattern:	Fine Mist
Flammability:	Non-Flammable as per CPSC Flame Extension Test as described in 16 CFR 1500.45.



SECTION I - PRODUCT IDENTIFICATION

See reverse side for product identification.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous components	CAS#s	WT.%	PEL	TWA-TLV
Synthetic Isoparaffinic Hydrocarbon	64742-47-8	10-30	152ppm	N/E
Mineral Spirits	64742-48-9	1-10	177ppm	177ppm
Liquefied Petroleum Gas(LPG)	68476-86-8	10-30		
Propane	74-98-6	48-55	1000ppm	1000ppm
n-Butane	106-97-8	45-49	N/E	1000ppm

* This Chemical is subject of the reporting requirements for Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity (H ₂ O=1)	<1.0
Vapor Pressure (mm Hg.)	120 psig at 130°F	Vapor Density (Air = 1)	>1
pH	7.75 ± .5	Evaporation Rate (Ether=1)	<1
Solubility in Water	Appreciable		
Appearance and Odor	Milky white spray with petroleum odor.		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Aerosol Flammability: Non-Flammable as described by 16 CFR 1500.45.
Flammable Limits: LEL: 1.8 UEL: 9.2
Extinguishing Media: CO₂, Foam or dry chemical
Special Fire Fighting Procedures: Containers should be cooled with water to prevent pressure build-up.
Unusual Fire and Explosion Hazards: Heated cans may burst.

SECTION V - PHYSICAL HAZARDS

Stability Unstable **Conditions to Avoid:** Heat, sparks or open flame.
 Stable
Incompatibility (Materials to Avoid): Oxidizing agents.
Hazardous Decomposition Products or By-products: Toxic chemicals may be formed in small amounts.
Hazardous May Occur **Conditions to Avoid:** None Known
Polymerization Will Not Occur

N/A (Not applicable / Not available)
 N/E (Not Established)

8-07

SECTION VI - HEALTH HAZARDS

Route(s) of Entry: Inhalation? X Skin? X Ingestion? X
Health Hazards (1. Acute and 2. Chronic) 1. Acute: Harmful if swallowed. Eye and skin irritant.
2. Chronic: None Known

Chemical Listed as Carcinogen or Potential Carcinogen:

National Toxicology Program: No
 I.A.R.C. Monographs: No
 OSHA: No

Signs and Symptoms of Exposure: Irritation, burning, and defatting of skin on prolonged contact. High vapor concentrations may result in depression, headache, dizziness, nausea. Vomiting which could cause aspiration pneumonitis.

Emergency and First Aid Procedures: **Eye Contact:** Flush with large quantities of water, seek medical attention if irritation occurs. **Skin Contact:** Wash affected areas with soap and water, seek medical attention if irritation occurs. **Ingestion:** Seek medical attention.

Inhalation: Remove to fresh air and provide oxygen if breathing is difficult.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken in Case Material Is Released Or Spilled: Mop up or otherwise absorb and hold for disposal.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations. Do not puncture or incinerate containers.

Precautions To Be Taken In Handling And Storing: Avoid breathing vapors. Keep out of reach of children. For use by trained personnel only. Use with adequate ventilation.

Store as level 2 Aerosol (NFPA 30B)

SECTION VIII - CONTROL MEASURES

Respiratory Protection No Special requirements. **Ventilation:** Provide local exhaust to keep TLV of Section 2 ingredients below acceptable limits. **Local Exhaust:** As Required
Protection Gloves: Not normally required. **Eye Protection:** Safety glasses recommended.
Work/Hygiene Practices: Ensure strict sanitary conditions are conformed to when using chemicals.