



(HEAVY DUTY FORMULA)

1255



FOAMING OVEN & GRILL CLEANER

This rich foaming, heavy duty formula is safe on porcelain, ceramics, stainless steel and cast iron surfaces. Our solvent system cuts through heavy grease, baked-on foods and carbon stuck to ovens, grills, hoods and drip pans. The heavy duty foaming properties provide excellent cling contact time allowing the active ingredients to penetrate deeply into thick build-up.

FORMULA FEATURES

- ▶ V.O.C. Compliant in all States
- ▶ Active on Warm or Cold Surfaces
- ▶ Heavy Duty Foam Clings to Vertical Surfaces
- ▶ USDA A8 Equivalent
- ▶ Spray On & Wipe Off
- ▶ Works in Minutes
- ▶ No Scraping Required

APPLICATIONS *READY TO USE

- ▶ For quick penetration and removal of thick, baked-on build-up on ovens and grills. May be applied to warm or cold surfaces (see instructional panel).

AREAS OF UTILIZATION

- ▶ Ceramic
- ▶ Fry Pans
- ▶ Rotisseries
- ▶ Stainless Steel
- ▶ Glass
- ▶ Cast Iron
- ▶ Oven Hoods
- ▶ Warm or Cold Ovens
- ▶ Porcelain
- ▶ Pots and Pans
- ▶ Outdoor Grills

OTHER FINE AEROSOL FORMULAS

- ▶ HUSKY 1200 Furniture Polish (Lemon Oil Fortified)
- ▶ HUSKY 1201 Sweet Tropic Mist Air Freshener & Neutralizer
- ▶ HUSKY 1202 Baby Fresh Scent Air Freshener & Neutralizer
- ▶ HUSKY 1205 Oil Based Dust Mop Treatment
- ▶ HUSKY 1207 Gelled Baseboard Stripper
- ▶ HUSKY 1210 Stainless Steel Cleaner Polish
- ▶ HUSKY 1211 Stainless Steel Cleaner & Polish (Oil Based)
- ▶ HUSKY 1220 Glass, Plastic & CRT Cleaner
- ▶ HUSKY 1225 All Purpose Spray and Wipe
- ▶ HUSKY 1229 Vandalism Mark & Stain Remover
- ▶ HUSKY 1230 Disinfectant Deodorant
- ▶ HUSKY 1240 Foaming Disinfectant Deodorant
- ▶ HUSKY 1250 Chewing Gum Remover
- ▶ HUSKY 1260 Flying Insecticide (Pleasantly Scented)
- ▶ HUSKY 1270 Residual Insecticide (For Crawling Insects)
- ▶ HUSKY 1280 Wasp & Hornet Insecticide

OTHER LIQUID/AEROSOL FORMULA CATEGORIES

- ▶ Restroom Care
- ▶ Skin Care
- ▶ Odor Control
- ▶ Floor Care
- ▶ Health Care
- ▶ Industrial Care
- ▶ Carpet Care


CANBERRA CORPORATION ▶ 3610 Holland-Sylvania Rd. ▶ Toledo, Ohio 43615

(419) 841-6616 ▶ fax: (419) 841-7597 ▶ Visit Our Website: www.canberracor.com/

Heavy Duty Formula 1255 FOAMING OVEN & GRILL CLEANER

DIRECTIONS

1. Use on empty oven, either cold or pre-heated to 200°F and turned off. **TURN OFF PILOT LIGHT and/or ELECTRICAL SWITCH.**
2. Hold can upright and point spray button away from face. **SHAKE WELL**, then spray inside of oven from a distance of 8 to 12 inches, giving it an even coating.
3. Spray top and bottom of oven first; then spray remaining oven surfaces and allow to stand about 30 minutes. (May be left on overnight with oven door closed.)
4. Wipe oven clean with damp cloth, sponge, or paper towel. Spots that are difficult to remove should be retreated and cleaned with a scouring pad. Rinse with potable water.
5. When clean, re-ignite pilot light, or turn on electric switch, and heat oven to 400°F for 10 minutes before using with food again.



PRODUCT DATA

Can Size:	20 oz. Aerosol
Net Weight:	20 oz.
USDA	A8 Equivalent
Color:	Opaque White
Odor:	Acrid
pH:	13.5
Propellant:	Hydrocarbon
Spray Pattern:	Wide, foamy cone
Flammability:	Non-Flammable as per CPSC Flame Extension Test as described in 16 CFR 1500.45.



SECTION I - PRODUCT IDENTIFICATION

See reverse side for product identification.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous components	CAS#s	WT.%	PEL	TWA-TLV
Butyl Carbitol	112-34-5	2.85%	NE	NE
Monoethanolamine	141-43-5	<1.0	3ppm	3ppm
Sodium Hydroxide	1310-73-2	5.0-6.0	2mg/m3	2mg/m3
Nonylphenol polyethylene glycol ether	9016-45-9	1-5	1ppm	1ppm
Liquified Petroleum Gas (LPG)	68476-85-7	5-10	1000ppm	1000ppm

*This Chemical is subject to the reporting requirements for Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity (H ₂ O=1)	<1.0
Vapor Pressure (mm Hg.)	140 psig at 130°F	Vapor Density (Air = 1)	<1
pH	13.5±0.1	Evaporation Rate (Ether=1)	<1
Solubility in Water	Partial		
Appearance and Odor	Aerosol spray with characteristic odor.		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Aerosol Flammability: Non-Flammable as described by 16 CFR 1500.45.
Flammable Limits: LEL: 1.8 UEL: 9.2
Extinguishing Media: CO₂, Foam or dry chemical
Special Fire Fighting Procedures: Containers should be cooled with water to prevent pressure build-up.
Unusual Fire and Explosion Hazards: Heated cans may burst.

SECTION V - PHYSICAL HAZARDS

Stability Unstable **Conditions to Avoid:** Heat, sparks or open flame.
 Stable
Incompatibility (Materials to Avoid): Oxidizing agents.
Hazardous Decomposition Products or By-products: Toxic chemicals may be formed in small amounts.
Hazardous Polymerization May Occur **Conditions to Avoid:** None Known
 Will Not Occur

N/A (Not applicable / Not available)

1/00

N/E (Not Established)

*Pertains to Skin.

SECTION VI - HEALTH HAZARDS

Route(s) of Entry: Inhalation? X Skin? X Eyes? X Ingestion?
Health Hazards (1. Acute and 2. Chronic) 1. Acute: Harmful if swallowed. Eye and skin irritant.
2. Chronic: None Known

Chemical Listed as Carcinogen or Potential Carcinogen:

National Toxicology Program:	<input checked="" type="checkbox"/> No
I.A.R.C. Monographs:	<input checked="" type="checkbox"/> No
OSHA:	<input checked="" type="checkbox"/> No

Signs and Symptoms of Exposure: Severe respiratory irritation, dizziness, central nervous system depression. Corrosive to mouth and throat. Severe abdominal pain.

Emergency and First Aid Procedures: Eye Contact: Flush with large quantities of water, seek medical attention if irritation occurs. **Skin Contact:** Wash affected areas with soap and water, seek medical attention if irritation occurs. **Ingestion:** Seek medical attention.

Inhalation: Remove to fresh air and provide oxygen if breathing is difficult.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken In Case Material Is Released Or Spilled: Mop up or otherwise absorb and hold for disposal.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations. Do not puncture or incinerate containers.

Precautions To Be Taken In Handling And Storing: Avoid breathing vapors. Keep out of reach of children. For use by trained personnel only. Use with adequate ventilation.

Store as level 2 Aerosol (NFPA 30B)

SECTION VIII - CONTROL MEASURES

Respiratory Protection No Special requirements. **Ventilation:** Provide local exhaust to keep TLV of Section 2 ingredients below acceptable limits. **Local Exhaust:** As Required

Protection Gloves: Not normally required. **Eye Protection:** Safety glasses recommended.

Work/Hygiene Practices: Ensure strict sanitary conditions are conformed to when using chemicals.