



# 1280



## WASP & HORNET INSECTICIDE

This rapid wasp and hornet killer contains Tetramethrins and other active ingredients that literally stop pests in flight. Long range spray allows killing these insects above the ground while standing up to 20 feet away from their nests. Powerful blast valve for rapid delivery and saturation of nests.

### FORMULA FEATURES

- ▶ Contains Tetramethrin & other active ingredients
- ▶ Dielectric strength of 41,000 volts
- ▶ Kills Wasps and Hornets
- ▶ Virtually instant knock down

### APPLICATIONS \*READY TO USE

- ▶ Designed for indoor & outdoor use. Blaster valve with 20 foot long range spray. Remove pets, birds and cover fish aquariums before spraying

### AREAS OF UTILIZATION

- ▶ Walls & Chimneys
- ▶ Schools
- ▶ Outdoor Lighting
- ▶ Electric Poles
- ▶ Trees & Bushes
- ▶ Garages
- ▶ Telephone Poles
- ▶ Farms
- ▶ Decks

### OTHER FINE AEROSOL FORMULAS

- ▶ HUSKY 1200 Furniture Polish (Lemon Oil Fortified)
- ▶ HUSKY 1201 Sweet Tropic Mist Air Freshener & Neutralizer
- ▶ HUSKY 1202 Fresh Linen Scent Air Freshener & Neutralizer
- ▶ HUSKY 1205 Oil Based Dust Mop Treatment
- ▶ HUSKY 1207 Gelled Baseboard Stripper
- ▶ HUSKY 1210 Stainless Steel Cleaner Polish
- ▶ HUSKY 1211 Stainless Steel Cleaner & Polish (Oil Based)
- ▶ HUSKY 1220 Glass, Plastic & CRT Cleaner
- ▶ HUSKY 1225 All Purpose Spray and Wipe
- ▶ HUSKY 1229 Vandalism Mark & Stain Remover
- ▶ HUSKY 1230 Disinfectant Deodorant
- ▶ HUSKY 1240 Foaming Disinfectant Deodorant
- ▶ HUSKY 1250 Chewing Gum Remover
- ▶ HUSKY 1255 Foaming Oven & Grill Cleaner (Heavy Duty Formula)
- ▶ HUSKY 1260 Flying Insecticide (Pleasantly Scented)
- ▶ HUSKY 1270 Residual Insecticide (For Crawling Insects)

### OTHER LIQUID/AEROSOL FORMULA CATEGORIES

- ▶ Restroom Care
- ▶ Odor Control
- ▶ Health Care
- ▶ Carpet Care
- ▶ Skin Care
- ▶ Floor Care
- ▶ Industrial Care

CANBERRA CORPORATION ▶ 3610 Holland-Sylvania Rd. ▶ Toledo, Ohio 43615  
(419) 841-6616 ▶ fax: (419) 841-7597 ▶ Visit Our Website: [www.canberracorp.com/](http://www.canberracorp.com/)

# 1280 WASP & HORNET INSECTICIDE

## DIRECTIONS

This product can be used both indoors (attics and other places where nests are built) and outdoors on bee, hornet, wasp and yellowjacket nests. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### GENERAL INSTRUCTIONS FOR USE:

Read the **WHOLE** label carefully, **BEFORE** using product. Always hold dispenser upright. Point spray opening away from face, other persons or pets. Aim with caution, with spray opening toward nest, and push button firmly to activate jet stream. Thoroughly wet the nest and any visible insects. Best personal safety and insecticidal results are obtained if the spraying is done during the evening after insects have congregated and are at rest.

The sprayed nests should be rid of these pests within 24 hours after treatment. If reinfestation occurs repeat the treatment.



## PRODUCT DATA

Net Weight: 14 oz.  
 USDA: F2 Equivalent  
 Color: Clear  
 Odor: Petroleum  
 Propellant: Carbon Dioxide  
 Spray Pattern: Jet Stream  
 Flammable  
 Other: See Directions of Use on label  
 See MSDS for further safety information



### SECTION I - PRODUCT IDENTIFICATION

See reverse side for product identification.

### SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous components	CAS#'s	WT.%	PEL	TWA-TLV
* Tetramethrin	7696-12-0	0.200	N/E	N/E
d-Phenothrin	26002-80-2	0.125	N/E	N/E
Isoparaffinic Solvent	64742-47-8	80-90	**	N/E
Carbon Dioxide	124-38-9	1.0-5.0	5,000 ppm	5,000 ppm

\* This Chemical is subject to the reporting requirements for Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

### SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O=1)	0.8136
Vapor Pressure (mm Hg.)	108 psig at 130°F	Vapor Density (Air = 1)	>1
pH	N/A	Evaporation Rate (Ether=1)	ND
Solubility in Water	Slight		
Appearance and Odor	Aerosol spray with solvent odor.		

### SECTION IV - FIRE AND EXPLOSION HAZARD DATA

**Flash Point:** None (Propellant); >183F (Concentrate)  
**Flammable Limits:** LEL: 0.5 UEL: 12.7  
**Extinguishing Media:** Carbon dioxide, water spray, foam, or dry chemical.  
**Special Fire Fighting Procedures:** Containers should be cooled with water to prevent vapor pressure build-up. Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.  
**Unusual Fire and Explosion Hazards:** Fire fighters and others who may be exposed to the products of combustion should be equipped with NIOSH-approved positive pressure self-contained breathing apparatus (SCBA) and full protection clothing. At elevated temperatures (over 54C-130°F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure.

### SECTION V - PHYSICAL HAZARDS

**Stability**  Unstable **Conditions to Avoid:** Heat, sparks or open flame  
 Stable  
**Incompatibility (Materials to Avoid):** Oxidizing agents, acids, bases.  
**Hazardous Decomposition Products or By-products:** Carbon monoxide, carbon dioxide.  
**Conditions to Avoid:** Keep away from heat, sparks, flames and electric arcs. Dropping of containers may cause bursting.  
**Hazardous Polymerization**  May Occur  
 Will Not Occur

N/A (Not applicable / Not available)  
 N/E (Not Established)

8-07

### SECTION VI - HEALTH HAZARDS

**Route(s) of Entry:** Inhalation? X Eyes? X Skin? X Ingestion?  
**Health Hazards** (1. Acute and 2. Chronic) **1. Acute:** Harmful if swallowed. Eye and skin irritant.  
**2. Chronic:** None Known

#### Chemical Listed as Carcinogen or Potential Carcinogen:

National Toxicology Program:  No  
 I.A.R.C. Monographs:  No  
 OSHA:  No

**Signs and Symptoms of Exposure:** **Eye Contact:** May cause moderate irritation. Can cause burning sensation, tearing, and redness. **Skin Contact:** May cause mild irritation. Harmful if absorbed through the skin. **Ingestion:** Exposure by ingestion is unlikely since an aerosol, but if occurs: Irritating to the mouth, throat and stomach. May cause nervous system effects such as fatigue, dizziness, headache, tremors and unconsciousness. Possible aspiration hazard. May cause inflammation of the lungs. **Inhalation:** Prolonged exposure can be irritating to eyes, nose and respiratory tract. Can cause dizziness, headaches and incoordination. Under misuse or intentional misuse, product may cause asphyxiation.

**Emergency and First Aid Procedures:** **Eyes:** Immediately flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Get prompt medical attention. **Skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Get medical attention if irritation persists. **Inhalation:** Remove to fresh air. If symptoms develop, seek immediate medical attention. If not breathing, give artificial respiration. **Ingestion:** In the unlikely event of swallowing: Call a physician or Poison Control Center immediately. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or doctor. Never give anything by mouth to an unconscious person. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Note to physician: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

### SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

**Steps To Be Taken In Case Material Is Released Or Spilled:** Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent and place into a designated disposal container. Consult local regulatory agency for proper disposition of material.

**Waste Disposal Method:** Do not puncture or incinerate containers. **If Empty:** Place in trash or offer for recycling if available. **If partly full:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Dispose of container in accordance with local, state, and federal regulations. Disposal regulations may be different for each state and/or locality.

**Precautions To Be Taken In Handling And Storing:** Do not breath vapors or spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs. Keep away from heat, sparks and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures above 120F (48.9C).

**Store as Level 3 Aerosol (NFPA 30B) Other Precautions:** Please read and follow the directions on the product label; they are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

### SECTION VIII - CONTROL MEASURES

**Respiratory Protection** None required if good ventilation is maintained. If exposure exceeds occupational exposure limits (Sec. II), use a NIOSH approved respirator to prevent overexposure.

**Ventilation:** General ventilation is adequate under normal conditions; mechanical ventilation is optional. **Local Exhaust:** As Required

**Protective Gloves:** Chemical resistant gloves are recommended - consult glove manufacturer to determine the proper type for a specific operation. **Eye Protection:** Safety glasses recommended. **Other Precautions:** Wear impervious clothing to prevent skin contact.

**Work/Hygiene Practices:** Ensure strict sanitary conditions are conformed to when working around chemicals. Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.