

Disinfects HIV-1 (AIDS Virus), Polio Virus Types 1 and 2, Influenza A/Hong Kong Virus, Mycobacterium Tuberculosis (TB) and Herpes Simplex Virus Types 1 and 2 On Hard, Nonporous, Inanimate Environmental Surfaces. For Use in Homes, Hospitals, Nursing Homes, Businesses, Hotels, Motels, Restaurants, Schools, and Institutions and Commercial Establishments

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**General Information**

**Kills:** Aspergillus niger (ATCC 16404), \*Human Herpes Simplex Virus Type 1 (ATCC VR-733F) and Type 2 (ATCC VR-540), \*Human Immunodeficiency Virus Type 1 [HIV-1 (AIDS virus)], \*Influenza A/Hong Kong Virus, Methicillin Resistant Staphylococcus aureus (ATCC 33591), Mycobacterium tuberculosis var bovis (BCG), \*Polio Virus Types 1 and 2, Pseudomonas aeruginosa (ATCC 15442), Salmonella choleraesuis (ATCC 10708), Staphylococcus aureus (ATCC 6538), Trichophyton mentagrophytes (ATCC 9972) and Vancomycin Resistant Enterococcus faecalis (ATCC 51299) on hard, nonporous, inanimate environmental surfaces.

**Disinfects:** Disinfects on such bacteria carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers and other out of the way places.

**Controls Mold and Mildew** on mattresses, awnings, shower curtains, leather goods. Controls mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, basements, attics, storage areas, summer cottages, damp and musty corners.

**Deodorizes:** Reduces annoying odors. Use to control odors in hospitals and nursing homes. In private homes, use in kitchen, bathroom, sick rooms, basements. Effectively suppresses odors caused by mold and mildew.

**General Precautions and Restrictions:** Do not spray on polished wood surfaces, rayon fabrics or on acrylic plastics. Solvents in spray may cause damage to some plastics, coatings and other materials if sprayed until wet. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**Application Instructions:**

Shake well before using and occasionally while spraying. Clean surface thoroughly with an effective cleaning compound prior to treatment. Remove all gross filth or heavy soil from all surfaces to be treated.

**To Disinfect and for Tuberculocidal Activity:** After surface is cleaned, hold can upright 6" to 8" from surface to be treated. Spray 3-4 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. For Herpes Simplex Virus Types 1 and 2 spray 8-10 seconds until the surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Tuberculocidal in 10 minutes at 25°C. **To Deodorize:** Hold can upright and point opening away from face. Spray into the air for 3 to 5 seconds directing spray toward center of room. **To Control Surface Mildew:** After surface is cleaned, cover surface with mist. Repeat treatment every week for effective control.

**Special Instructions for Cleaning and Decontamination Against HIV on Surfaces/Objects Soiled with Blood/Body Fluids** on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV): **Personal Protection:** When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **Contact Time:** Spray surface to be treated 3-4 seconds, from a distance of 6-8 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. **Disposal of Infectious Materials:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**Storage and Disposal**

**Pesticide Storage:** Store in a cool, dry (preferably locked) storage area away from direct sunlight, windows, flames and other sources of heat or ignition.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

**Container Disposal:** Replace cap, wrap container and put in trash. Do not incinerate or puncture.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Not for sale or distribution in California.

**First Aid**

**If on Skin or Clothing:** Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**Physical or Chemical Hazards**

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using this product. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

Manufactured For:

102104

**CANBERRA CORPORATION**

**3610 Holland-Sylvania Rd.**

**Toledo, Ohio 43615**



1230

# DISINFECTANT DEODORANT

- ▶ KILLS MOST GERMS
- ▶ CONTROLS MOLD AND MILDEW
- ▶ ELIMINATES ODORS
- ▶ BACTERICIDAL
- ▶ STAPHYLOCIDAL
- ▶ TUBERCULOCIDAL
- ▶ FUNGICIDAL
- ▶ PSEUDOMONICIDAL
- ▶ \*VIRUCIDAL

**ACTIVE INGREDIENTS:**

Orthophenylphenol .....	0.176%
Para-tertiary Amylphenol ...	0.045%
Ethanol .....	49.950%
+ OTHER INGREDIENTS .....	49.829%
<b>TOTAL .....</b>	<b>100.000%</b>
+ Contains Sodium Nitrite.	

EPA Reg. No. 706-69-8155

EPA Est. 706-11-1

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION:

See back panel for additional precautionary statements  
NET WT. 15 1/2 OZ. (439 GRAMS)

