



705



EXTRA HEAVY DUTY STRIPPER

This extra heavy duty floor finish emulsifier is designed to quickly remove all types of floor finishes and floor finish build-up. Digs deep to remove even the toughest floor finishes, including urethane fortified products. Formulated without ammonia for user safety. Low foaming product, makes it ideal for use with automatic scrubbers.

FORMULA FEATURES

- ▶ Ammonia Free
- ▶ Low Foaming
- ▶ Removes Problem Finishes
- ▶ Removes Heavy Duty Buildup
- ▶ Works Quickly

APPLICATIONS * CONCENTRATED

(Dilute 4 oz. to 16 oz. per gal. of water)

- ▶ For effective removal of floor finish from resilient tile and other floor surfaces.

AREAS OF UTILIZATION

- ▶ Schools
- ▶ Office Buildings
- ▶ Industrial Facilities
- ▶ Hospitals
- ▶ Universities
- ▶ Distribution Centers
- ▶ Warehouses
- ▶ Institutions
- ▶ Grocery Stores

OTHER FINE FLOOR CLEANER/STRIPPER FORMULAS

- ▶ HUSKY 700 Multi-Purpose Synthetic Detergent Complex
- ▶ HUSKY 701 Economy Multi-Purpose Synthetic Detergent Complex
- ▶ HUSKY 702 No Rinse Damp Mop Cleaner
- ▶ HUSKY 703 Low Suds Automatic Scrubber Floor Cleaner
- ▶ HUSKY 704 Rinse Free Floor Stripper
- ▶ HUSKY 706 Butyl Free Low Odor UHS Floor Stripper
- ▶ HUSKY 707 Super Charged Rinse Free Floor Stripper
- ▶ HUSKY 710 Floor Cleaner & Neutralizer
- ▶ HUSKY 725 Water Based Dust Mop Treatment
- ▶ HUSKY 1205 Dust Mop Treatment (oil based)
- ▶ HUSKY 1207 Gelled Baseboard Stripper

OTHER LIQUID/AEROSOL FORMULA CATEGORIES

- ▶ Restroom Care
- ▶ Odor Control
- ▶ Industrial Care
- ▶ Specialty Products
- ▶ Skin Care
- ▶ Health Care
- ▶ Carpet Care

705 EXTRA HEAVY DUTY STRIPPER

DIRECTIONS

PRODUCT DATA




1. Always dilute product properly. For regular floor stripping, dilute product 1:16 (8 oz. per gallon) with warm water.



2. Using a cotton mop, apply strip solution liberally to all areas.



3. Let stand for at least 5 minutes, making sure solution does not dry.



4. Using a black floor pad and scrubbing machine, agitate all areas thoroughly. Change pad often.




5. Using a wet vac or auto scrubber, pick up all remaining solution from floor.



6. Immediately neutralize floor with Husky 710 Color Indicated Floor Neutralizer.

7. Clear water rinse floor to remove residual soils or squeegee marks.

8. Let dry thoroughly, and recoat.



USDA Authorized
A4 Rating
Concentrated
Alkaline Builders
Low Odor
DOT Regulated
Free Rinsing
Phosphate Free

YES	NO
X	
X	
X	
X	
X	
X	

SECTION I - PRODUCT IDENTIFICATION

See reverse side for product identification.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous components	CAS#s	OSHA PEL	ACGIH TLV	Other Limits	%(Optional)
*2-Butoxyethanol	111-76-2	25 ppm	25 ppm	N/A	<10
Monoethanolamine	141-43-5	3 ppm	3 ppm	N/A	<8
Sodium Hydroxide	1310-73-2	2mg/M ³	2mg/M ³	N/A	<5

* This chemical is subject to the reporting requirements for section 313 of title III of the superfund amendments and reauthorization act of 1986 and 40 CFR part 372.

SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point	~212° F	Specific Gravity (H ₂ O=1)	1.075±0.01
Vapor Pressure (mm Hg.)	N/E	Percent Volatile By Weight (%)	>85%
pH (conc.)	13.5	Evaporation Rate (H ₂ O=1)	1
Solubility in Water	Complete		
Appearance and Odor	Red Liquid/Balsam Fragrance		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 196°F TCC Flammable Limits: LEL: N/E UEL: N/E
Extinguishing Media: Water, CO₂, Foam or media suitable for surrounding fire
Special Fire Fighting Procedures: Standard fire fighting procedures may be followed, including full protective gear, NIOSH approved self-contained breathing apparatus.
Unusual Fire and Explosion Hazards: None Known

SECTION V - PHYSICAL HAZARDS

Stability Unstable Stable Conditions to Avoid: None Known
Incompatibility (Materials to Avoid): Do not mix with other chemicals.
Hazardous Decomposition Products or By-products: Thermal decomposition or burning may produce toxic vapors or gases.
Hazardous Polymerization May Occur Will Not Occur Conditions to Avoid: None Known

N/A (Not applicable / Not available)
N/E (Not Established)

SECTION VI - HEALTH HAZARDS

Route(s) of Entry: Inhalation? X Skin? X Ingestion? X
Health Hazards (1. Acute and 2. Chronic) 1. Acute: Harmful if swallowed. Eye and skin irritant. May cause permanent damage to skin or eyes. 2. Chronic: None Known
Chemical Listed as Carcinogen or Potential Carcinogen:
National Toxicology Program: No
I.A.R.C. Monographs: No
OSHA: No

Signs and Symptoms of Exposure: Irritation or burning sensation.
Medical Conditions Generally Aggravated by Exposure: May aggravate skin disorders or respiratory ailments. Emergency and First Aid Procedures: Eye Contact: Flush immediately with water for 15 minutes. Get medical attention. Skin Contact: Flush with water for 15 minutes. Remove and wash contaminated clothing. Ingestion: Rinse mouth with water. Then drink 1-2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical attention. Inhalation: Move to fresh air. Get medical attention.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken In Case Material Is Released Or Spilled: Wear appropriate protective equipment. If possible, contain spill and collect in an approved container. Rinse affected area thoroughly with water. Keep product out of storm sewers or waterways. Hold for disposal.
Waste Disposal Method: Dispose of in accordance with local, state and federal regulations. If possible, triple rinse container and recycle.
Precautions To Be Taken In Handling And Storing: Avoid contact with skin or eyes. Avoid breathing vapor, spray or mist. Store in original container, in cool dry place with adequate ventilation. Keep container tightly closed when not in use.
Other Precautions: Use only according to label directions. If unsure about safe use, contact your supervisor immediately.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type): Not expected to be necessary under normal conditions of use. Where exposure cannot be adequately controlled by general or local ventilation, use appropriate respiratory protection to prevent over exposure, An approved dust/mist respirator would be recommended. Ventilation: Local Exhaust: As Necessary
Mechanical (General): Adequate Special: N/A Other: N/A Protection Gloves: Water Impervious (Latex, Neoprene) Eye Protection: Chemical Resistant Goggles or Face Shield.
Other Protective Clothing Or Equipment: Not Required. Eye wash recommended.
Work/Hygiene Practices: Follow OSHA mandated procedures. Never eat or smoke while working with chemicals. Good housekeeping practices apply. Wash thoroughly after handling.



HAZARD RATING
4 = Extreme
3 = High
2 = Moderate
1 = Slight
0 = Insignificant