

Cross-contamination is of major housekeeping concern, not only in hospitals, but in schools, institutions and industry. This product has been formulated to aid in the reduction of cross-contamination in these areas. It is a one-step disinfectant-cleaner, that is effective against a broad spectrum of bacteria. It is virucidal* (including HIV-1), fungicidal and inhibits the growth of mold and mildew and their odors, when used as directed. It is an effective one-step on non-food contact surfaces. When used as directed, it will toilet areas, behind and under sinks and counters, garbage storage areas, and other places where bacterial growth can be effective against Trichophyton mentagrophytes, (the when used on surfaces in areas such as locker rooms, and bath areas and exercise facilities. This product is for use and dental offices, nursing homes, public rest rooms, colleges, athletic facilities, food processing plants, food restaurants and bars, tanning salons, massage parlors, airports, boats, ships, cruise lines, transportation terminals, product contains no phosphorous. It is a no-rinse, **neutral pH** that disinfects, cleans and deodorizes in one labor saving step. It can be used with mop and bucket, trigger sprayers, sponge or by soaking. This product provides effective cleaning strength that will not dull most metal-interlock floor finishes, and does not require a rinse prior to recoat. This product is a neutral pH multi-surface cleaner, deodorizer and disinfectant. Use it on the multi-touch surfaces responsible for cross-contamination. Use on washable hard nonporous surfaces: such as walls, floors, sinks, cabinets, tables, chairs, desks, telephones, door knobs, garbage cans, shower stalls, tubs and glazed tiles, bathroom floors and walls, hard nonporous surfaces of metal, stainless steel, plastic porcelain, glazed ceramic, sealed stone, plastic, acrylic and frosted acrylic surfaces, glass and enameled surfaces, vinyl and glazed furniture. Use it on finished floors, conductive flooring, and sealed concrete flooring.

THE NEXT LEVEL
in CLEANING & MAINTENANCE

Effective against Vancomycin Resistant Enterococcus faecalis (VRE) at 2 ounces per gallon, modified in the presence of 250 ppm hard water.

This product is a hospital-use disinfectant at 2 ounces per gallon, modified in the presence of 250 ppm hard water and at 3 ounces per gallon, modified in the presence of 400 ppm hard water. It is bactericidal according to the AOAC Use-Dilution Test Method, virucidal* according to the Virucidal Qualification on hard inanimate surfaces, fungicidal according to the AOAC Fungicidal Test, and modified in the presence of 5% organic serum against:

Staphylococcus aureus (Methicillin Resistant-MRSA)	Staphylococcus aureus (Vancomycin Intermediate Resistant-VISA)	
Proteus vulgaris	Staphylococcus aureus	Salmonella typhi
Pseudomonas aeruginosa	Salmonella schottmuelleri	Salmonella choleraesuis
Salmonella typhimurium	Brevibacterium ammoniagenes	Serratia marcescens
Chlamydia psittaci	Shigella dysenteriae	Enterobacter aerogenes
Shigella flexneri	Enterobacter cloacae	Shigella sonnei
Escherichia coli (Methicillin Resistant)	Klebsiella pneumoniae	Enterococcus faecalis (Methicillin Resistant)
Enterococcus faecalis	Klebsiella pneumoniae (Methicillin Resistant)	Streptococcus pyogenes
Acinetobacter baumannii	Staphylococcus epidermidis	
Aspergillus niger	Candida albicans	Trichophyton mentagrophytes
*Hepatitis B Virus (HBV)		
*Herpes simplex Type 1		*Rubella
*HIV-1(AIDS Virus)		*Influenza A/PR
*Vaccinia		

This product is a sanitizer for hard non-porous non-food contact surfaces at 2-3 ounces per gallon against: Enterobacter aerogenes

Manufactured By:
CANBERRA CORPORATION
3610 Holland-Sylvania Rd.
Toledo, Ohio 43615



College of Knowledge
IEHA Certified Training & Education Available on CD ROM

Respiratory illnesses attributable to Pandemic 2009 **H1N1** are caused by Influenza A virus. This product is a broad-spectrum hard surface disinfectant that has been shown to be effective against *Influenza A/PR and is expected to inactivate all Influenza A viruses including Pandemic 2009 **H1N1** (formerly called swine flu).

DIRECTION FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Preparation of use solution: For water hardness up to 250 ppm, add 2 ounces per gallon of water; for water hardness up to 400 ppm, add 3 ounces per gallon of water, to disinfect hard non-porous surfaces. For heavy duty use, add 8 ounces per gallon of water to disinfect hard non-porous surfaces.
Disinfection/Virucidal*/Fungicidal Directions: For heavily soiled areas, a preliminary cleaning is required. Apply use-solution to hard (inanimate), non-porous surfaces, thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge or sprayer. Treated surfaces must remain wet for 10 minutes (2 minutes for disinfection against all viruses claimed except HBV). Wipe dry with clean cloth or sponge or allow surface to air dry. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Wipe dry with clean cloth or sponge or allow surface to air dry. Do not breathe spray mist. Prepare a fresh solution daily or when use solution becomes diluted or soiled. For food contact surfaces such as counters, tables and appliances, thoroughly rinse surfaces with potable water. Do not use on dishes, glasses and utensils. This product is not for use on critical or semi-critical medical device surfaces.
Cleaning and Deodorizing: Add 1-4 ounces of product per gallon of water. Thoroughly wet surfaces with a cloth, mop, sponge or sprayer. Remove excess solution with a cloth or allow to air dry.

Mold and Mildew Directions: Add 2 ounces per gallon of water to control the growth of mold and mildew and their odors on hard, non-porous surfaces. Thoroughly wet all surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappear.

Sanitizing Non-Food Contact Surface Directions: Add 2 ounces per gallon of water to sanitize hard, non-porous environmental surfaces. Thoroughly wet surfaces with a cloth, mop, sponge or sprayer. Treated surfaces must remain wet for 60 seconds. Allow surfaces to air dry. *KILLS HIV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1(HIV-1)(associated with AIDS) or Hepatitis B Virus (HBV).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS."

Personal Protection: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV or HBV must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

Contact Time: For HIV: Use 2 oz. of concentrate per gallon of water. Leave surface wet for 2 minutes. **For HBV:** Use 3 oz. of concentrate per gallon of water. Leave surface wet for 10 minutes. **For disinfection against all other bacteria and fungi claimed:** Use a 10 minute contact time. **Disposal of Contaminated Material:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste material.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER Keep out of reach of children. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.

STORAGE AND DISPOSAL

Store in an area inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Otherwise, wrap empty container in plastic bag and discard in trash. **For Industrial and Institutional Use Only.** 120909



This container is coded for Recycling



husky neutral disinfectant

800

N/D GERMICIDAL CLEANER

ANTIBACTERIAL, ANTI-MICROBIAL
DISINFECTANT-CLEANER-SANITIZER-FUNGICIDE-MILDEWSTAT-VIRUCIDE* DEODORIZER
FOR HOSPITALS, INSTITUTIONAL AND INDUSTRIAL USE.
EFFECTIVE IN HARD WATER UP TO 400 PPM HARDNESS (Calculated as CaCO₃)
IN THE PRESENCE OF 5% SERUM CONTAMINATION

ACTIVE INGREDIENT	
Didecyl dimethyl ammonium chloride.....	3.85%
OTHER INGREDIENTS	96.15%
TOTAL	100.00%

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautionary statements.
EPA REG. NO. 8155-24 EPA EST. NO. 8155-0H-1
Net Contents: One Gallon (128 Fl. Oz.) 3.78 liters

