

For use in: Hospitals, nursing homes, medical and dental offices, emergency vehicles, public restrooms, shower rooms, institutional, schools, public transportation. This product may be used on washable hard, non-porous surfaces such as: countertops, sinks, shower stalls, glazed tiles, glazed porcelain, and restroom fixtures, metal, stainless steel, plastic - such as poly carbonate, polystyrene or polypropylene, tables chairs, doorknobs, trash containers. This product contains no phosphorus. This product is designed to provide effective cleaning, deodorizing and disinfection in areas where housekeeping is of prime importance in controlling the hazard of cross contamination on treated surfaces.

**DIRECTION FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.  
**PREPARATION OF DISINFECTION/FUNGICIDAL USE SOLUTION:** Add 4 ounces per gallon of water to disinfect hard, non-porous surfaces. Allow surfaces to remain wet for 10 minutes. Apply use solution to hard inanimate, non-porous surfaces thoroughly wetting surfaces as required, with a cloth, mop, sponge or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray. Prepare a fresh solution at least daily or when use dilution becomes diluted or soiled.  
**Note:** With spray applications cover or remove all food products. For heavily soiled areas, a preliminary cleaning is required.

**DISINFECTION IN INSTITUTIONS, HOSPITALS AND NON-MEDICAL FACILITIES:** At 4 oz. per gallon of water dilution, 488 ppm active quat with a 10-minute contact time, this product exhibits effective disinfectant activity against the following: *Corynebacterium ammoniagenes*, *Enterococcus faecalis*, *Enterococcus faecalis*, *Aerococcium resistant* – VRE, *Escherichia coli*, *Klebsiella pneumoniae*, *Legionella pneumophila*, *Proteus mirabilis*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella schottmuelleri*, *Serratia marcescens*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Methicillin resistant*, *Staphylococcus aureus*, *Vancomycin resistant* – VISA, *Staphylococcus aureus*, *Community Associated Methicillin Resistant Staphylococcus aureus*, *CA-MRSA*, *Streptococcus faecalis*, *Streptococcus salivarius*

**FOR SCHOOLS, INDUSTRY AND NON-MEDICAL INSTITUTIONAL USES:** For heavily soiled areas, a preliminary cleaning is required. This product delivers cleaning and disinfection effectiveness. Apply a 4 ounce per gallon of water solution to hard non-porous surfaces. Treated surfaces must remain wet for 10 minutes, then allow to air dry or wipe. Prepare a fresh solution at least daily or if solution becomes diluted or soiled.

**VIROCIDAL\* PERFORMANCE:** The product when used on environmental inanimate hard surfaces at 4 oz. per gallon of water, with a 10-minute contact time exhibits effective virucidal\* activity against: Adenovirus Type 2, Herpes simplex, Type 1, Herpes simplex, Type 2, HIV-1 - AIDS Virus, Human Coronavirus, Influenza A2 /Japan

At 6 ounces per gallon use level with a 10-minute contact time, this product is effective against the following: Hepatitis B Virus - HBV, Hepatitis C Virus - HCV

**NON-FOOD CONTACT SANITIZATION PERFORMANCE:** At 6 oz. per gallon of water, 732 ppm active and with a 60 second contact time, this product is an effective one-step sanitizer against: *Staphylococcus aureus*, *Klebsiella pneumoniae*

**PREPARATION OF NON-FOOD CONTACT SURFACE SANITIZER USE SOLUTION:** With spray applications, cover or remove all food products. Add 6 ounces of this product to 1 gallon of water to sanitize hard, non-porous nonfood surfaces. Apply sanitizer use solution to pre-cleaned, hard non-porous nonfood surfaces with a cloth, mop, sponge, sprayer or by immersion. For sprayer applications, use a coarse pump or trigger sprayer. Spray 6-8 inches from surface and rub with brush, sponge or cloth. Do not breathe spray. Treated surfaces must remain wet for 60 seconds, then wipe with sponge, mop or cloth or allow to air dry. This product is not for use on Medical devices or medical equipment surfaces.

**HOSPITALS, DENTAL OFFICES, NURSING HOMES AND OTHER HEALTH CARE INSTITUTIONS.** For disinfecting floors, walls, countertops, bathing areas, lavatories, tables, chairs, garbage pails and other hard, non-porous surfaces.

To disinfect hard, inanimate surfaces such as walls, floors, table tops, add 4 oz. detergent/disinfectant per gallon of water. Apply solution with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow treated surfaces to remain wet for 10 minutes and then let air dry. For sprayer applications use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution at least daily or when use dilution becomes diluted or soiled. At 6 ounces per gallon of water in the presence of organic load this product was proven to be effective against Duck - Hepatitis B Virus and Bovine viral diarrhea virus - BVDV, Surrogate for human Hepatitis C virus with a contact time of 10 minutes.

Distributed By:  
**CANBERRA CORPORATION**  
 3610 Holland-Sylvania Rd.  
 Toledo, Ohio 43615

**\*KILLS HIV, HCV AND HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 - HIV-1, associated with AIDS, Hepatitis B virus - HBV and Hepatitis C virus - HCV.

**\*SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS\***

**Personal Protection:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye coverings.

**Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

**Disposal of Infectious Materials:** Blood and other body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**Contact Time:** Leave surfaces wet with 4 ounces per gallon of water solution for 2 minutes for HIV. This contact time will not control other common types of viruses and bacteria. Leave surfaces wet with a 6 ounce per gallon of water solution for ten minutes for HBV and HCV.

**FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE OPEN AREAS WITH FLOOR DRAINS:**

1. Pre-clean heavily soiled areas. 2. Apply Use Solution of 4 ounces per gallon of water to floors, walls and ceilings making sure not to over spray. Add 6 oz. per gallon of water for HBV and HCV mitigation. To disinfect, all surfaces must remain wet for 10 minutes. 3. Scrub using deck brush or other coarse material as necessary. 4. Rinse surfaces thoroughly and let air dry.

**FUNGICIDAL PERFORMANCE:** At 4 ounces per gallon use-level this product is effective against *Trichophyton mentagrophytes* - athlete's foot fungus, a cause of Ringworm of the foot and *Aspergillus niger* on inanimate surfaces in locker rooms, dressing rooms, shower and bath areas and exercise facilities. Pre-clean all surfaces prior to using this product. Saturate surfaces with use solution for a period of 10 minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears.

**MILDEWSTAT:** Controls the growth of mold and mildew on non-porous surfaces such as floors, walls, table tops, add 4 oz. of this product per gallon of water. Apply solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let surface air dry. Prepare a fresh solution for each use. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. Repeat application at weekly intervals or when mildew growth reappears.

**CLEANING/DEODORIZING DIRECTIONS:** Add 4 to 8 ounces per gallon of water or equivalent use dilution to clean and deodorize windows, mirrors and glass surfaces. Use a coarse spray device. Spray 6-8 inches from surface. Rub with sponge or cloth. Do not breathe spray. Wipe excess solution or allow to air dry. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

**FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES AND GARBAGE HANDLING EQUIPMENT:** It is especially important to preclean for the product to perform properly. Then, apply a wetting concentration of 20 ounces of this product per gallon of water.

**FOR DISINFECTION AND TO CONTROL THE GROWTH OF MOLD AND MILDEW ON NON-POROUS ATHLETIC EQUIPMENT** wrestling and gymnastic mats, athletic training tables, physical therapy tables, athletic helmets, wrestling/boxing headgear, athletic shoe soles: Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use solution of 4 ounces per gallon, 488 ppm active quat, of water for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not use equipment until treatment has been absorbed, set or dried.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING KEEP OUT OF REACH OF CHILDREN.** Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield or safety glasses and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

**STORAGE AND DISPOSAL**

Store in original container and place in locked storage area. Keep from freezing. Do not contaminate water, food, or feed by storage or disposal. Small spills may be mopped up or flushed away with water or absorbed on some absorbent material. Wrap container and put in trash. Securely wrap original container in several layers of newspaper and discard in trash.

E.P.A. REG. NO. 10324-167-8155 E.P.A. EST. NO. 8155-OH-1

092809-L



husky

802

**HIGH FRAGRANCE  
 DETERGENT/DISINFECTANT**

ANTIBACTERIAL, CLEANER, DISINFECTANT, DETERGENT, FUNGICIDE AGAINST PATHOGENIC FUNGI, DEODORIZER, SANITIZER, VIRUCIDE\*, MILDEWSTAT ON HARD INANIMATE SURFACES – FOR HOSPITALS, NURSING HOMES, INSTITUTIONAL, INDUSTRIAL, SCHOOL, ATHLETIC SURFACE DISINFECTION.

ACTIVE INGREDIENTS:

n-ALKYL (60% <sub>w</sub> , 30% <sub>w</sub> , 5% <sub>w</sub> , 5% <sub>w</sub> ) DIMETHYL BENZYL AMMONIUM CHLORIDE.....	0.781%
n-ALKYL (68% <sub>w</sub> , 32% <sub>w</sub> ) DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDE .....	0.781%
INERT INGREDIENTS:.....	98.438%
TOTAL:	100.000%

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**KEEP OUT OF REACH OF CHILDREN  
 WARNING**

See side panel for additional precautionary statements.  
 Net Contents: One Gallon (128 Fl. Oz.) 3.78 liters



LEMON