

Cross-contamination is of major housekeeping concern, not only in hospitals, but also in schools, institutions and industry. This product has been formulated to aid in the reduction of cross-contamination in these areas. It is a one-step disinfectant-cleaner, that is effective against a broad spectrum of bacteria. It is virucidal* (including HIV-1), fungicidal and inhibits the growth of mold and mildew and their odors, when used as directed. It is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, it will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. It is an effective fungicide against Trichophyton mentagrophytes, (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

This product is recommended for use in hospitals, medical and dental offices, nursing homes, public rest rooms, institutions, schools, colleges, athletic facilities, food processing plants, poultry processing areas, poultry premises, food storage areas, kitchens, restaurants and bars, barber shops, hair salons, tanning salons, massage parlors, tattoo parlors, spas, airports, boats, ships, cruise lines, transportation terminals, hotels and motels. This product contains no phosphorus. It is a no-rinse, neutral pH disinfectant-cleaner that disinfects, cleans and deodorizes in one labor saving step. It can be used with mop and bucket, trigger sprayers, sponge or by soaking. Use this product to pre-clean heavy soil deposits prior to disinfection.

Use it on the multi-touch surfaces responsible for cross-contamination. Use it on conductive flooring. Use on washable hard nonporous surfaces: such as walls, floors, countertops, stovetops, sinks, appliance and refrigerator exteriors, cabinets, tables, chairs, desks, telephones, door knobs, garbage cans, shower stalls, tubs and glazed tiles, wash basins, hard nonporous surfaces of barber shop, tanning hair salon, spa surfaces, instruments, and other hard nonporous surfaces of metal, stainless steel, glazed porcelain, glazed ceramic, sealed stone, plastic, enameled surfaces, vinyl and plastic furniture. Use of this product on surfaces that may contact food, must be followed by a potable water rinse.

Effective against Vancomycin Resistant Enterococcus faecalis (VRE) at 0.33 fl. oz. per 42 fl. oz. of water (9.83 ml. per 1250 ml of water). This product is a hospital-use disinfectant at 1 ounce per gallon of water [0.33 fl. oz. per 42 fl. oz. of water][9.83 ml. per 1250 ml of water][or equivalent dilution], modified in the presence of 250 ppm hard water and at 1 1/3 ounces per gallon of water [0.33 fl. oz. per 32 fl. oz. of water][9.83 ml. per 950 ml of water][or equivalent dilution], modified in the presence of 400 ppm hard water. It is bactericidal according to the AOAC Use-Dilution Test Method, virucidal* according to the Virucidal Qualification on hard inanimate surfaces, fungicidal according to the AOAC Fungicidal Test, and modified in the presence of 5% organic serum against:

Staphylococcus aureus (Vancomycin Intermediate Resistant -VISA), Staphylococcus epidermidis, Staphylococcus aureus (Methicillin Resistant-MRSA), Proteus vulgaris, Acinetobacter baumannii, Staphylococcus aureus, Salmonella typhi, Salmonella typhimurium, Pseudomonas aeruginosa, Salmonella schottmuelleri, Streptococcus pyogenes, Salmonella enterica, Brevibacterium ammoniagenes, Serratia marcescens, Chlamydia psittaci, Enterobacter cloacae, Enterobacter aerogenes, Shigella flexneri, Shigella dysenteriae, Shigella sonnei, Escherichia coli (Methicillin Resistant), Klebsiella pneumoniae, Enterococcus faecalis, Enterococcus faecalis (Methicillin Resistant), Klebsiella pneumoniae (Methicillin Resistant), Aspergillus niger, Candida albicans, Trichophyton mentagrophytes, *HBV Hepatitis B Virus, *HIV-1(AIDS Virus), *Rubella, *Herpes simplex Type 1, *Vaccinia, *Influenza A/PR, *Herpes simplex Type 2, *Avian Influenza/Type A(Turkey/Wisc.)(H9N2)

This product is a sanitizer for hard non-porous non-food contact surfaces at 0.33 fl. oz. per 32 fl. oz. of water [9.83 ml per 950 ml of water] against: Enterobacter aerogenes, Staphylococcus aureus.

This product has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus. Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu).

DIRECTION FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical or semi-critical medical devices.

Preparation of use solution: For water hardness up to 400 ppm, dilute [0.33 fl. oz. per 32 fl. oz. of water][9.83 ml. per 950 ml of water] to disinfect hard non-porous surfaces. **Disinfection/Virucidal* Directions:** For heavily soiled areas, a preliminary cleaning is required. Apply use-solution to hard, inanimate, non-porous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge or sprayer. Treated surfaces must remain wet for 10 minutes. Allow surface to air dry. Prepare a fresh solution daily or when use solution becomes diluted or soiled. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Do not breathe spray mist. For food contact surfaces such as counters, tables and appliances, thoroughly rinse surfaces with potable water. Do not use on dishes, glasses and utensils. **Cleaning and Deodorizing:** Dilute 1 ounce of product per gallon of water. Thoroughly wet surfaces with a cloth, mop, sponge or sprayer. Remove excess solution with a cloth or allow to air dry.

Mold and Mildew Directions: Dilute 9.83 ml. per 1250 ml of water to control the growth of mold and mildew and their odors on hard, non-porous surfaces. Thoroughly wet all surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

Sanitizing Non-Food Contact Surface Directions: Dilute 9.83 ml. per 1250 ml or

9.83 ml per 950 ml of water to sanitize hard, non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

To Sanitize Barber Shop [Tanning][Hair] Salon, [Spa] Surfaces, Instruments, Equipment and Tools:

Immerse pre-cleaned salon [barber] instruments, tools or protective equipment [such as combs, brushes, rollers, razors, scissors, blades, manicure instruments] in a use-solution of 1 - 1 1/3 ounces per gallon of water [0.33 fl. oz. per 42 fl. oz. or 0.33 fl. oz. per 32 fl. oz. of water][9.83 ml. per 1250 ml or 9.83 ml per 950 ml of water] [or equivalent dilution] for at least 60 seconds. Rinse thoroughly and dry before use. Prepare a fresh solution daily or more often if the use solution becomes visibly diluted, cloudy or soiled. Note: Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed dried and kept in a clean, non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

*KILLS HIV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1(HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids containing HIV or HBV must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Contact Time: For HIV: Use 1 oz. of concentrate per gallon of water. Leave surface wet for 2 minutes. For HBV: Use 1 1/3 oz. of concentrate per gallon of water. Leave surface wet for 10 minutes. For disinfection against all other bacteria and fungi claimed: Use a 10 minute contact time. Disposal of Contaminated Material: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste material.

POULTRY PREMISE DISINFECTION
Site Preparation: Remove gross contamination and debris. This may be accomplished using a shovel, broom, or vacuum depending on the area to be disinfected. The efficacy of germicidal cleaners is reduced in the presence of heavy organic matter. Once the heavy debris is eliminated, thoroughly clean all surfaces with soap or detergent and rinse with water.

Cleaning And Disinfection: For all general cleaning and disinfection use 1ounce of this product per gallon of water. Apply use-solution using a cloth, mop, or low pressure coarse sprayer so as to thoroughly wet surface to be disinfected. Allow to remain wet for 10 minutes and then let air dry. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution after each use.

APPLICATIONS AND USE DILUTION
Poultry Premise: Remove all animals and feeds from premises, trucks, cars, coops and crates. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use 1 ounce of this product per gallon of water. Saturate surfaces with the recommended disinfecting solution for a period of 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.

Hatcheries: Use 1 ounce of this product per gallon of water to treat the following hard non-porous surfaces: hatching, setters, trays, racks, carts, sexing tables, delivery trucks and other hard surfaces. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more. Rinse with potable water before reuse. Then allow to air dry.

Vehicles: Clean all vehicles including mats, crates, cabs, and wheels with high pressure water and this product. Use 1 ounce per gallon to treat all vehicles. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more. Dressing Plant Use: Disinfect equipment, utensils, walls and floors in poultry and animal dressing plants. Disinfect ofal rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all gross soils. Saturate all surfaces with the recommended use-solution, 1 ounce of this product per gallon of water. Scrub to loosen all soils. Allow to soak for 10 minutes and thoroughly rinse all wetted and cleaned surfaces with potable water.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
DANGER. Keep out of reach of children. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves. Harmful if swallowed and/ or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

STORAGE AND DISPOSAL
Store in an area inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Otherwise, wrap empty container in plastic bag and discard in trash.



hucky
805

NEUTRAL DISINFECTANT CLEANER

ANTIBACTERIAL, ANTI-MICROBIAL
DISINFECTANT-CLEANER-SANITIZER-FUNGICIDE-MILDEWSTAT-VIRUCIDE* DEODORIZER FOR HOSPITALS, INSTITUTIONAL AND INDUSTRIAL USE. EFFECTIVE IN HARD WATER UP TO 400 PPM HARDNESS (Calculated as CaCO₃) IN THE PRESENCE OF 5% SERUM CONTAMINATION

ACTIVE INGREDIENT:
Didecyl dimethyl ammonium chloride.....7.68%
OTHER INGREDIENTS 92.32%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER
FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.
EPA REG. NO. 8155-23 EPA EST. NO. 8155-OH-1
Net Contents: One Gallon (128 Fl. Oz.) 3.78 liters

