

This product is a multi-purpose germicidal detergent proven effective by the AOAC Use-Dilution Method in 400 ppm hard water (calculated as CaCO₃) in the presence of 5% organic bio-load (Fetal Bovine Serum). This product disinfects, cleans, and deodorizes in one labor saving step. This product is effective against the following pathogenic organisms:

Pseudomonas aeruginosa	Salmonella choleraesuis	† Staphylococcus aureus	Enterobacter aerogenes
† Enterobacter cloacae	** Enterococcus sp.	Escherichia coli	Klebsiella pneumoniae
Mycobacterium bovis	† Proteus mirabilis	Proteus vulgaris	Providencia rettgeri
Pseudomonas cepacia	** Pseudomonas maltophilia	Salmonella typhi	Salmonella typhimurium
Serratia marcescens	Shigella flexneri	† Streptococcus faecalis	Streptococcus pyogenes
* HIV-1 (AIDS virus)	* Rubella	* Adenovirus Type 2	* Herpes Simplex Type 2
* Human rhinovirus Type 38	* Influenza Type A/Mich	* Polio 1 virus	* Vaccinia
* Avian Influenza	* Canine parvovirus	* Feline leukemia	* Feline picornavirus
* Infectious Bovine Rhinotracheitis	* Newcastle Disease Virus	Candida albicans	Trichophyton mentagrophytes

** Tested against antibiotic resistant strain only.

† Tested against standard ATCC strains and antibiotic resistant strains.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DILUTION: 1 TO 128 ONE OUNCE PER GALLON

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. For use on washable hard nonporous surfaces such as appliances, bathroom fixtures, bathroom sinks, bathtubs, cabinets, chairs, conductive flooring, countertop laminates, countertops, desks, doorknobs, empty basins, enameled surfaces, exhaust fans, exterior bowl surfaces, floors, Formica® garbage cans, glazed porcelain tiling, highchairs, outdoor furniture, painted surfaces, picnic tables, refrigerators, shower stalls, showers, sinks, stovetops, tables, telephones, toilet bowl surfaces, toilet bowls, tubs and glazed tiles, urinals, vinyl and plastic upholstery, washable walls, woodwork, and hard nonporous surfaces made of metal, stainless steel, glazed porcelain, glazed ceramic, fiberglass, and plastic. For use in hospitals, nursing homes, schools, colleges, medical and dental offices, federally inspected meat and poultry plants, kennels, pet shops, veterinary clinics, and animal life science laboratories. **GENERAL PRECAUTIONS AND RESTRICTIONS:** Do not apply this product in a way that will contact other persons. Only protected handlers may be in the area during application.

APPLICATIONS: Use 1 ounce of product per gallon of water for a minimum contact time of 10 minutes in a single application. For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet surfaces. Product is extremely versatile and can be applied with a mop, sponge, or cloth as well as soaking or used as a holding solution. Thoroughly wet surfaces with the recommended use solution for at least 10 minutes. The recommended use solution is used once and discarded on a daily basis. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished. Tuberculocidal effectiveness is in 10 minutes at 20°C.

USDA: For use in federally inspected meat and poultry plants as a floor and wall cleaner. Before use of this compound, food products and packaging materials must be removed from the room and carefully protected. After use of this compound, all surfaces must be thoroughly rinsed with potable water. Use 1 ounce per gallon of water.

USDA: For use in federally inspected meat and poultry plants on all surfaces in inedible product processing areas, non-processing areas, and/or exterior areas.

USDA: For use in federally inspected meat and poultry plants as an antimicrobial agent for use in all departments. Food products and packaging materials must be removed from the room or carefully protected. Use product in accordance with its label. All surfaces must be thoroughly rinsed with potable water.

Manufactured For:
CANBERRA CORPORATION
 3610 Holland-Sylvania Rd.
 Toledo, Ohio 43615

***KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/ BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: HIV-1 (AIDS virus) is inactivated after one (1) minute of contact at room temperature (20 to 25° C). Use a 10 minute contact time for other viruses and bacteria claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Avoid breathing spray mist.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Coveralls over long-sleeved shirt and long pants, socks and chemical-resistant footwear, goggles or face shield, and chemical resistant gloves (such as barrier laminate or butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton at ≥ 14 mils).

USER SAFETY REQUIREMENTS: Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users must wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users must remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to small children. Do not reuse empty container. Rinse and discard in trash.

EPA Reg. No. 6836-253-8155

EPA Est. No. 8155-OH-01



031004



810

T/B CONCENTRATED HOSPITAL DISINFECTANT CLEANER

► **TUBERCULOCIDAL**

► **CLEANS, DISINFECTS & DEODORIZES** ► **PLEASANT FRAGRANCE**

► **PSEUDOMONACIDAL** ► **STAPHYLOCIDAL** ► ***VIRUCIDAL** ► **FUNGICIDAL**

ACTIVE INGREDIENTS

o-Benzyl-p-chlorophenol **4.75%**

o-Phenylphenol **4.75%**

OTHER INGREDIENTS **90.50%**

TOTAL **100.00%**

This product contains the active ingredients o-phenyl phenol and o-benzyl phenol, each at 0.42 lbs./gal.

Keep Out of Reach of Children

DANGER/PELIGRO

See side panel for additional precautionary and First Aid statements.

Net Contents: One Gallon (128 Fl. Oz.) 3.78 liters

