

For use on washable hard nonporous surfaces such as appliances, bathroom fixtures, bathroom sinks, bathtubs, cabinets, chairs, conductive flooring, countertop laminates, countertops, desks, doorknobs, empty basins, enameled surfaces, exhaust fans, exterior bowl surfaces, floors, Formica® garbage cans, glazed porcelain tiling, highchairs, outdoor furniture, painted surfaces, picnic tables, refrigerators, shower stalls, showers, sinks, stovetops, tables, telephones, toilet bowl surfaces, toilet bowls, tubs and glazed tiles, glazed metal and plastic upholstery, washable walls, woodwork, and hard nonporous surfaces made of metal, stainless steel, glazed porcelain, glazed ceramic, fiberglass, and plastic. For use in hospitals, nursing homes, schools, colleges, medical and dental offices, federally inspected meat and poultry plants, kennels, pet shops, veterinary clinics, and animal life science laboratories.

This product is a multi-purpose germicidal detergent proven effective by the AOAC Use-Dilution Method in 400 ppm hard water (calculated as CaCO₃) in the presence of 5% organic bio-load (Fetal Bovine Serum). This product disinfects, cleans, and deodorizes in one labor saving step. This product is effective against the following pathogenic organisms:

Pseudomonas aeruginosa, Salmonella choleraesuis, Staphylococcus aureus, Enterobacter aerogenes, Enterobacter cloacae¹, Enterococcus sp. **, Escherichia coli, Klebsiella pneumoniae, Mycobacterium bovis, Proteus mirabilis¹, Proteus vulgaris, Providencia rettgeri, Pseudomonas cepacia, Pseudomonas maltophilia **, Salmonella typhi, Salmonella typhimurium, Serratia marcescens, Shigella flexneri, Streptococcus faecalis¹, Streptococcus pyogenes,

*HIV-1 (AIDS virus), *Rubella, * Adenovirus Type 2, *Herpes Simplex Type 2, *Human rhinovirus Type 38, *Influenza Type A/Mich, *Polio 1 virus, *Vaccinia,

*Avian Influenza, *Canine parvovirus, *Feline leukemia, *Feline picornavirus, *Infectious Bovine Rhinotracheitis, *Newcastle Disease Virus, Candida albicans, Trichophyton mentagrophytes

** Tested against antibiotic resistant strain only.

¹ Tested against standard ATCC strains and antibiotic resistant strains.

Kills Pandemic 2009 H1N1 Influenza A Virus (formerly called swine flu)

DILUTION: 1 TO 128 ONE OUNCE PER GALLON

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not for use on medical device surfaces.

GENERAL PRECAUTIONS AND RESTRICTIONS: Do not apply this product in a way that will contact other persons. Only protected handlers may be in the area during application.

TO DISINFECT: Use 1 ounce of product per gallon of water for a minimum contact time of 10 minutes in a single application. For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet surfaces. Product is extremely versatile and can be applied with a mop, sponge, or cloth as well as soaking or used as a holding solution. Thoroughly wet surfaces with the recommended use solution for at least 10 minutes. The recommended use solution is used once and discarded on a daily basis. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished. Tuberculocidal effectiveness is in 10 minutes at 20°C.

BACTERICIDAL STABILITY OF USE-DILUTION: Tests confirm that this product, when diluted in 400 ppm hard water, remains effective against Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella choleraesuis for up to one year when stored in a sealed container such as a spray bottle. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails.

USDA: For use in federally inspected meat and poultry plants as a floor and wall cleaner. Before use of this compound, food products and packaging materials must be removed from the room and carefully protected. After use of this compound, all surfaces must be thoroughly rinsed with potable water. Use 1 ounce per gallon of water.

***KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Manufactured For:

CANBERRA CORPORATION

3610 Holland-Sylvania Rd.

Toledo, Ohio 43615

CONTACT TIME: HIV-1 (AIDS virus) is inactivated after one (1) minute of contact at room temperature (20 to 25° C). Use a 10 minute contact time for other viruses and bacteria claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Avoid breathing spray mist.

FIRST AID IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Coveralls over long-sleeved shirt and long pants, socks and chemical-resistant footwear, goggles or face shield, and chemical resistant gloves (such as barrier laminate or butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton at ≥ 14 mils).

USER SAFETY REQUIREMENTS: Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users must wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users must remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Do not store on side. Avoid creasing or impacting of side walls. Offer for recycling if available or discard in trash.

Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state.

EPA Reg. No. 6836-253-8155

EPA Est. No. 8155-OH-01



This container is coded for Recycling



College of Knowledge

IEHA Certified Training & Education Available on CD ROM



060310



husky

810

T/B CONCENTRATED HOSPITAL DISINFECTANT CLEANER

▶ TUBERCULOCIDAL

▶ CLEANS, DISINFECTS & DEODORIZES ▶ PLEASANT FRAGRANCE

▶ PSEUDOMONACIDAL ▶ STAPHYLOCIDAL ▶ *VIRUCIDAL ▶ FUNGICIDAL

ACTIVE INGREDIENTS

o-Benzyl-p-chlorophenol.....4.75%

o-Phenylphenol4.75%

OTHER INGREDIENTS90.50%

TOTAL100.00%

This product contains the active ingredients o-phenyl phenol and o-benzyl phenol, each at 0.42 lbs./gal.

KEEP OUT OF REACH OF CHILDREN

DANGER/PELIGRO

See side panel for additional precautionary and First Aid statements.

Net Contents: One Gallon (128 Fl. Oz.) 3.78 liters

